



FOR GREAT MOWMENTS

CASTELGARDEN RANGE 2012



Castelgarden – for great mowments


It is said that no one wants a lawn mower, but everyone wants a perfect lawn. We do not believe this is true. With 50 years experience of building lawn mowers, we have come to another conclusion. Everybody who has a lawn knows that it needs to be maintained. And everybody who has a garden wants gardening to be enjoyable. We are convinced that using the right lawn mower contributes to a positive experience.

Over the years we have developed our own philosophy, based on the idea of creating lawn mowers that people actually want. Not just machines that use clever innovations to give the perfect cutting result, or are designed to withstand many years of use. No, we are talking about lawn mowers that also have character. We would almost go so far as to say they have a soul of their own. It is all those things that make you feel both confident and happy that you have made a good choice. The sense of functioning technology, excellent design and clever details, all topped off with a feeling of everyday luxury.

The Castelgarden feeling originated from the small Italian medieval town of Castelfranco, forty miles to the north west of Venice. Here the land is fertile and lush, summer evenings are balmy and life is pleasant. It is perhaps no wonder then that we have been able to develop lawn mowers that are among the best in Europe – and the most fun to use. Lawn mowers that create the right conditions for wonderful active moments in the garden. Castelgarden – for great mowments.



FOR GREAT MOWMENTS



**High reliability
with a catchy
design**

Great driving pleasure in harmony with powerful performance. That is what really makes the difference in choosing a Castelgarden machine. With cutting decks from 122 cm down to 63 cm, the range of lawn tractors includes heavy-duty machines with 4 wheel drive systems, as well as riders for small-sized garden areas. Castelgarden lawn tractors offer different options for collecting, mulching or discharging

the cut grass. The extraordinary collecting capacity is based on the collector tunnel, utilizing the effectiveness of the vacuum cleaner principle. Mulching is the perfect way to get a nice and fresh lawn without using a collector. Side or rear discharge is a good choice when you quickly want to cut large areas of tall and rough grass.



XHX 255 4WD [2T1525373/12] **XHX 240 4WD E** [2T1525273/12] **XHX 240** [2T1515273/12]

Engine:	Honda GXV 660 688 cc Twin-cylinder	B&S Intek series 8240 724 cc V-Twin	B&S Intek series 8240 724 cc V-Twin
Cutting deck size:	122 cm	122 cm	122 cm
Discharge:	Rear discharge	Rear discharge	Rear discharge
Transmission:	Hydro 4WD	Hydro 4WD	Hydro
Wheels:	16" X 20"	16" X 20"	16" X 20"
Dashboard:	6 LED with display	6 LED with display	6 LED with display
Blade engagement clutch:	Electromagnetic	Electromagnetic	Electromagnetic
Collector volume:	360 l	360 l electric dump	360 l
Steering wheel:	Castelgarden soft grip	Castelgarden soft grip	Castelgarden soft grip
Seat:	Comfort seat with arm rest	Comfort seat with arm rest	Castelgarden comfort
Fuel tank volume:	10.0 l	10.0 l	10.0 l
Gross weight:	361 kg	357 kg	337 kg



XT 220 HD [2T0970273/11] **XT 190 HD** [2T0950273/11] **XT 175 HD** [2T0930373/11]

Engine:	B&S Intek series 7220 656 cc V-Twin	B&S Intek series 4185 AVS 500 cc Single cylinder	Honda GCV 530 530 cc Twin-cylinder
Cutting deck size:	102 cm	102 cm	102 cm
Discharge:	Rear discharge	Rear discharge	Rear discharge
Transmission:	Hydro	Hydro	Hydro
Wheels:	15" X 18"	15" X 18"	15" X 18"
Dashboard:	6 LED with display	6 LED with display	6 LED with display
Blade engagement clutch:	Electromagnetic	Electromagnetic	Electromagnetic
Collector volume:	320 l	320 l	320 l
Steering wheel:	Castelgarden soft grip	Castelgarden soft grip	Castelgarden soft grip
Seat:	Castelgarden comfort	Castelgarden comfort	Castelgarden comfort
Fuel tank volume:	7.0 l	7.0 l	7.0 l
Gross weight:	278 kg	275 kg	287 kg



XHT 220 4WD [2T1425273/12] **XX 220 HDE** [2T1310273/11E] **XX 220 HD** [2T1310273/11]

Engine:	B&S Intek series 7220 656 cc V-Twin	B&S Intek series 7220 656 cc V-Twin	B&S Intek series 7220 656 cc V-Twin
Cutting deck size:	102 cm	122 cm	122 cm
Discharge:	Rear discharge	Rear discharge	Rear discharge
Transmission:	Hydro 4WD	Hydro	Hydro
Wheels:	16" X 20"	15" X 18"	15" X 18"
Dashboard:	6 LED with display	6 LED with display	6 LED with display
Blade engagement clutch:	Electromagnetic	Electromagnetic	Electromagnetic
Collector volume:	360 l	320 l electric dump	320 l
Steering wheel:	Castelgarden soft grip	Castelgarden soft grip	Castelgarden soft grip
Seat:	Comfort seat with arm rest	Castelgarden comfort	Castelgarden comfort
Fuel tank volume:	10.0 l	7.0 l	7.0 l
Gross weight:	352 kg	290 kg	288 kg



XT 170 HD [2T0930273/11] **XG 175 HD** [2T0420373/10] **XG 170 HD** [2T0430273/10]

Engine:	B&S P.B. series 4165 AVS 500 cc Single cylinder	Honda GCV 530 530 cc Twin-cylinder	B&S P.B. series 4165 AVS 500 cc Single cylinder
Cutting deck size:	102 cm	92 cm	92 cm
Discharge:	Rear discharge	Rear discharge	Rear discharge
Transmission:	Hydro	Hydro	Hydro
Wheels:	15" X 18"	15" X 18"	15" X 18"
Dashboard:	6 LED	6 LED	6 LED
Blade engagement clutch:	Electromagnetic	Electromagnetic	Electromagnetic
Collector volume:	320 l	260 l	260 l
Steering wheel:	Castelgarden soft grip	Castelgarden	Castelgarden
Seat:	Castelgarden comfort	Castelgarden	Castelgarden
Fuel tank volume:	7.0 l	6.0 l	6.0 l
Gross weight:	274 kg	232 kg	230 kg



“Creating green spaces. It’s like decorating the home. Real tools make it so much more fun. With Castelgarden I can afford to enjoy the garden work. It is a luxury for a true gadget lover.”



XG 140 HD [2T0420273/10]

XG 135 HD [2T0410373/10]

XDC 140 HD [2T2110273/12]

Engine:	B&S P.B. series 3130 AVS 344 cc Single cylinder	Honda GXV 390 389 cc Single cylinder	B&S P.B. series 3130 AVS 344 cc Single cylinder
Cutting deck size:	92 cm	92 cm	84 cm
Discharge:	Rear discharge	Rear discharge	Rear discharge
Transmission:	Hydro	Hydro	Hydro
Wheels:	15" X 18"	15" x 18"	15" X 18"
Dashboard:	6 LED	6 LED	1 LED
Blade engagement clutch:	Electromagnetic	Electromagnetic	Electromagnetic
Collector volume:	260 l	260 l	240 l
Steering wheel:	Castelgarden	Castelgarden	Castelgarden
Seat:	Castelgarden	Castelgarden	Castelgarden
Fuel tank volume:	6.0 l	6.0 l	6.0 l
Gross weight:	221 kg	231 kg	224 kg



XF 135 HD [2T0210373/10]

XE 80 VD [2T0030273/10]

XE 75 VD [2T0313673/09]

Engine:	Honda GXV 390 389 cc Single cylinder	B&S 875 Series ES Pro	Honda GCV 190 E.S.
Cutting deck size:	72 cm	63 cm	63 cm
Discharge:	Rear discharge	Rear discharge	rear discharge
Transmission:	Hydro	Variator	Variator
Wheels:	11" X 15"	11" X 13"	11" X 13"
Dashboard:	-	-	-
Blade engagement clutch:	Manual	Manual	Manual
Collector volume:	170 l	140 l	140 l
Steering wheel:	Castelgarden	Castelgarden	Castelgarden
Seat:	Castelgarden	Castelgarden	Castelgarden
Fuel tank volume:	4.0 l	3.8 l	3.8 l
Gross weight:	196 kg	125 kg	123 kg



XDC 140 [2T21010273/12]

XF 140 HD [2T0220273/10]

XF 140 [2T0110273/10]

Engine:	B&S P.B. series 3130 AVS 344 cc Single cylinder	B&S P.B. series 3130 AVS 344 cc Single cylinder	B&S P.B. series 3130 AVS 344 cc Single cylinder
Cutting deck size:	84 cm	72 cm	72 cm
Discharge:	Rear discharge	Rear discharge	Rear discharge
Transmission:	Gear 5+R	Hydro	Gear 5+R
Wheels:	15" X 18"	11" X 15"	11" X 15"
Dashboard:	1 LED	1 LED	1 LED
Blade engagement clutch:	Electromagnetic	Manual	Manual
Collector volume:	240 l	170 l	170 l
Steering wheel:	Castelgarden	Castelgarden	Castelgarden
Seat:	Castelgarden	Castelgarden	Castelgarden
Fuel tank volume:	6.0 l	4.0 l	4.0 l
Gross weight:	228 kg	193 kg	185 kg



XDL 190 HD [2T1220273/11]

XD 140 HD [2T0620273/11]

XD 140 [2T0520273/11]

Engine:	B&S P.B. series 4185 AVS 500 cc Single cylinder	B&S P.B. series 3130 AVS 344 cc Single cylinder	B&S P.B. series 3130 AVS 344 cc Single cylinder
Cutting deck size:	108 cm	98 cm	98 cm
Discharge:	Side discharge	Side discharge	Side discharge
Transmission:	Hydro	Hydro	Gear 5+R
Wheels:	15" X 18"	15" X 18"	15" X 18"
Dashboard:	-	-	-
Blade engagement clutch:	Electromagnetic	Electromagnetic	Electromagnetic
Collector volume:	-	-	-
Steering wheel:	Castelgarden	Castelgarden	Castelgarden
Seat:	Castelgarden	Castelgarden	Castelgarden
Fuel tank volume:	6.0 l	6.0 l	6.0 l
Gross weight:	204 kg	200 kg	198 kg



PTC 220 HD [2T0980233/11]

PT 190 HD [2T1740233/12]

PT 170 HD [2T1720233/11]

Engine:	B&S Intek series 7220 AVS 656 cc Twin cylinder	B&S Intek series 4185 AVS 500 cc Single cylinder	B&S P.B. series 4165 AVS 500 cc Single cylinder
Cutting deck size:	102 cm	102 cm	102 cm
Discharge:	Rear discharge	Rear discharge	Rear discharge
Transmission:	Hydro	Hydro	Hydro
Wheels:	15" X 18"	15" X 18"	15" X 18"
Dashboard:	8 LED	1 LED	1 LED
Blade engagement clutch:	Electromagnetic	Electromagnetic	Electromagnetic
Collector volume:	300 l	260 l	260 l
Steering wheel:	Castelgarden	Standard junior	Standard junior
Seat:	Standard PLUS	Standard junior	Standard junior
Fuel tank volume:	7.0 l	6.0 l	6.0 l
Gross weight:	276 kg	258 kg	256 kg



PDC 140 [2T2010233/12]

Engine:	B&S P.B. series 3130 AVS 344 cc Single cylinder
Cutting deck size:	84 cm
Discharge:	Rear discharge
Transmission:	Gear
Wheels:	15" X 18"
Dashboard:	1 LED
Blade engagement clutch:	Electromagnetic
Collector volume:	240 l
Steering wheel:	Castelgarden
Seat:	Standard Junior
Fuel tank volume:	6.0 l
Gross weight:	220 kg



PT 140 [2T1620233/11]

PG 140 HD [2T0420233/11]

PG 140 [2T0320233/11]

Engine:	B&S P.B. series 3130 AVS 344 cc Single cylinder	B&S P.B. series 3130 AVS 344 cc Single cylinder	B&S P.B. series 3130 AVS 344 cc Single cylinder
Cutting deck size:	102 cm	92 cm	92 cm
Discharge:	Rear discharge	Rear discharge	Rear discharge
Transmission:	Gear 5+R	Hydro	Gear
Wheels:	15" X 18"	15" X 18"	15" X 18"
Dashboard:	1 LED	1 LED	1 LED
Blade engagement clutch:	Electromagnetic	Electromagnetic	Electromagnetic
Collector volume:	260 l	260 l	260 l
Steering wheel:	Standard junior	Standard junior	Standard junior
Seat:	Standard junior	Standard junior	Standard junior
Fuel tank volume:	6.0 l	4.5 l	4.5 l
Gross weight:	250 kg	226 kg	222 kg





Get it done, have more fun!

It is a matter of using the right machine. Castelgarden front mowers combine all essential features for a great mower. They are easy to use, versatile and particularly comfortable. The heavy-duty components along with the powerful engine guarantee many years of reliable and safe service, even under tough conditions. The unmatched traction and maneuverability make them ideal for larger gardens.


The front mounted cutting deck provides full accessibility and mowing control along fences, close to trees and bushes, and into narrow corners. Castelgarden front mowers utilize the well proven mulching technology to achieve a perfect cutting result and a beautiful lawn. The grass is cut into tiny pieces and directly recycled to supply moisture and natural nutrients for your lawn.

**XK4 160 HD** [13-6104-91]**XK 160 HD** [13-6103-91]**XK 140 HD** [13-6102-91]

Engine:	B&S Power Built 4155 AVS	B&S Power Built 4155 AVS	B&S Power Built 3130 AVS
Cutting deck size:	95-105 cm	95-105 cm	95 cm
Cutting height adjustment:	10 positions	10 positions	10 positions
Transmission:	Hydrostatic drive, stepless speed control forward and reverse	Hydrostatic drive, stepless speed control forward and reverse	Hydrostatic drive, stepless speed control forward and reverse
Traction:	4 WD	Real wheel drive	Real wheel drive
Steering:	Mechanic servo	Mechanic	Mechanic
Steering type:	Articulated	Articulated	Articulated
PTO engagement:	Manual	Manual	Manual
Seat:	Adjustable ergonomic	Adjustable ergonomic	Adjustable ergonomic
Gross weight:	200 kg	172 kg	164 kg

**XM 160 HD** [13-2783-90]**XM 140 HD** [13-2782-90]**XM 130** [13-2781-91]

Engine:	B&S Power Built 4155 AVS	B&S Power Built 3130 AVS	B&S Power Built 3115 AVS
Cutting deck size:	85-105 cm	85-95 cm	85 cm
Cutting height adjustment:	10 positions	10 positions	10 positions
Transmission:	Hydrostatic drive, stepless speed control forward and reverse	Hydrostatic drive, stepless speed control forward and reverse	Manual gear, 5 forward & 1 reverse
Traction:	Front wheel drive	Front wheel drive	Front wheel drive
Steering:	Mechanic	Mechanic	Mechanic
Steering type:	Rear wheel	Rear wheel	Real wheel
PTO engagement:	Manual	Manual	Manual
Seat:	Adjustable ergonomic	Adjustable ergonomic	Adjustable ergonomic
Gross weight:	172 kg	169 kg	166 kg



SNOW BLADE

Robust metal snow-blades for tractors as well as front mowers. They are easy to mount and use to clean paths and driveways from snow. Working widths from 107 -120 cm and metal or rubber scraper blade can be fitted depending on the snow-blade.



SWEeper

Ideal for clearing sand, dirt and leaves from asphalt, lawns and concrete areas, this sweeper will also clear newly fallen snow. It features adjustable ground pressure with two rear pivot wheels. The angle is easily adjusted manually. Working width: 100 cm for tractors and 95 or 85 cm for front mowers. An optional dust cover is also available.



PRO CART

Stable professional cart made of galvanized steel with genuine Castelgarden XK wheels. Detachable cover at the rear and good tipping angle. Loading capacity 240 l/100 Kg, unloaded weight 45 Kg.



COMBI CART

Get to grips with heavy garden tasks with the help of the combi-cart. With a rust resistant poly bed and 180 litre capacity, it can be used as a wheelbarrow or hitched to any ride-on tractor or front mower. Unladen weight, 25 Kg. Dimensions: length 159/173, width 83 cm, height 75 cm.



STONE GUARD

By using the stone guard in safe conditions to cut long grass without fitting the grass-collector, the grass falls to the ground.



REAR WEIGHT

Easy to fit to the grass collector support on the XX and XT models. It improves the stability of the machine when using front accessories, particularly the snow-thrasher and sweeper. Weight: 23 Kg.



SNOW THROWER

This accessory transforms tractors into efficient snow removers. Front mounted, with single stage operation, it has a rectangular chute and adjustable skid shoes. The snow thrower can be raised and lowered comfortably from the driver's seat. The chute angle is operated using a control near the steering wheel. Working width: 100 cm.



TRAILER HITCH KIT

Fit a trailer hitch to use rear mounted attachments such as a combi-cart or spreader. Easily fitted to the rear of the tractor using the bolts supplied in the kit.



FERTILIZER

Fertilizer spreader, with a 40 litre capacity poly bed and a measuring device adjustable from the driver's seat. Spreading width: 240 cm.



**FRONT WEIGHT
FRAME WEIGHT**

Just a few bolts are all it takes to mount the front weight and the frame weight kit on your garden tractor or front mower and improve stability when using rear mounted accessories. Front Weight: 11.5 Kg. Frame weight: 2 x 17 Kg for XK models or 2 x 13.5 Kg for XM models.

Platform	Code	Description	
	XE 80 VD - XE 75 VD		
	299900035/0	Mulching plug	
	299900100/M*	Protective cover in Masterbox of 8 pcs	
	XF 140 - 140 HD - 135HD		
	299900037/0	Mulching plug + mulching blades	
	299900036/0	Mulching plug	
	299900029/0	One collecting blade	
	299900090/0	Stone guard	
	299900030/6	Front weight	
	299900100/M*	Protective cover in Masterbox	
		PG 140 - 140HD PT 140- 170HD - 190 HD / XG 140HD - 170HD - 135HD - 175HD	
		299900070/0	Mulching plug + mulching blades
		299900073/0	Mulching plug + mulching blades NJ 102 cm
299900038/0		Mulching plug	
299900045/0		Mulching plug NJ 102 cm	
299900024/0		Two collecting blades	
299900081/0		Trailer hitch kit NJ92 cm	
299901081/0		Trailer hitch kit NJ102cm	
299900051/0		Stone guard	
299900405/0		Snow-blade (includes rubber scraper)	
299900420/0		Steelbar for snowblade	
299900470/0		"Snow chains 18"" (Not for models TC HE 102/122 cm)"	
299900220/0		Fertilizer	
299900200/0		Combi cart	
299900260/0		Poly Roller	
299900100/M*		Protective cover in Masterbox	
		PDC 140 / XDC 140 - 140HD	
	299900370/0	Mulching plug 84 cm + mulching blades	
	299900310/0	Stone guard	
	299900361/0	Front bumper	
	299900395/0	Trailer hitch kit	
	299900470/0	"Snow chains 18"" (Not for models TC HE 102/122 cm)"	
	299903405/0	Snow Blade 115 cm (includes rubber scraper)	
	299900220/0	Fertilizer	
	299900200/0	Combi cart	
	299900260/0	Poly Roller	
	299900100/M*	Protective cover in Masterbox	
		XD 140 - 140HD - XDL 190 HD	
		299900340/0	Mulching plug 98 cm
		299900345/0	Mulching plug 108 cm
		299900361/0	Front bumper
		299900385/0	Trailer hitch kit
		299900470/0	"Snow chains 18"" (Not for models TC HE 102/122 cm)"
299903405/0		Snow Blade 115 cm (includes rubber scraper)	
299900220/0		Fertilizer	
299900200/0		Combi cart	
299900260/0		Poly Roller	
299900100/M*		Protective cover in Masterbox	
		XHT 220 4WD HD and XHX 240 - 240 4WD E - 255 4WD	
		299901074/0	Mulching plug + mulching blades model 102 cm
		299901077/0	Mulching plug + mulching blades model 122 cm
		299901055/0	Mulching plug model 102 cm
		299901056/0	Mulching plug model 122 cm
		299900026/0	Two collecting blades 102 cm
	299900028/0	Two collecting blades 122 cm	
	299901006/0	Trailer hitch kit model 102-122 cm HEP	
	299900016/0	Stone guard	
	299900480/0	"Snow-chains 20""	
	299901400/0	Pro Snow-blade 125 cm (includes rubber scraper)	
	299900220/0	Fertilizer	
	299900200/0	Combi cart	
	299900260/0	Poly Roller	
	299900100/M*	Protective cover in Masterbox	

* The Protective Cover Will Change Code And Specs During Season


Platform	Code	Description	
	ALL XT AND XX MODELS AND PTC 220 HD		
	299900073/0	Mulching plug + mulching blades old model 102 cm before 2008	
	299900074/0	Mulching plug + mulching blades new model 102 cm	
	299900076/0	Mulching plug + mulching blades model 122 cm	
	299900045/0	Mulching plug old model 102 cm before 2008	
	299900055/0	Mulching plug new model 102 cm	
	299900046/0	Mulching plug model 122 cm	
	299900026/0	Two collecting blades 102 cm	
	299900028/0	Two collecting blades 122 cm	
	299900006/0	Trailer hitch kit model 102-122 cm	
	299900016/0	Stone guard	
	299900405/0	Snow-blade (includes rubber scraper)	
	299900600/0	PTO system for snow-thrasher and sweeper	
	299900520/0	Snow thrasher	
	299900500/0	Sweeper	
	299900505/0	Dust cover for Sweeper	
	299900150/0	Rear weight kit	
299900470/0	"Snow chains 18"" (Not for models TC HE 102/122 cm)"		
299900220/0	Fertilizer		
299900200/0	Combi cart		
299900260/0	Poly Roller		
299900100/M*	Protective cover in Masterbox		
	XM		
	13-0990-12	Snow blade 107 cm	
	13-3904-61	Rubber scraper bar 107 cm	
	13-0921-62	Frame weights 2x13,5 kg	
	13-0994-61	RAC Quick Connection	
	13-0940-61	"Snow chains 16""x6"	
	13-3906-11	Pro cart galvanized	
	13-0952-61	Combi cart plastic	
	13-0955-11	Fertiliser spreader	
	13-0970-61	Roller for deck 85C+95C+105C	
	13-3905-12	"Grass and leaf collector 38""	
	13-3918-11	Sweeper 85 cm	
	13-3916-61	Dust cover for Sweeper 85	
		XK	
		13-0974-11	Snow thrasher 2+4WD
		13-0990-12	Snow blade 107 cm
		13-3904-61	Rubber scraper bar 107 cm
13-3917-61		Snow blade 120 cm	
13-1958-62		Rubber scraper bar 120 cm	
13-0940-61		"Snow chains 16""x6 (XM 130)"	
13-0936-61		"Snow chains 16""x7,5"	
13-0939-61		Frame weights 2x17 kg	
13-0992-61		RAC Quick connection 2WD	
13-0993-61		RAC Quick connection 4WD	
13-3906-11		Pro cart galvanized	
13-0952-61		Combi cart plastic	
13-0955-11		Fertiliser spreader	
13-0970-61		Roller for deck 85C+95C+105C	
13-3905-12		"Grass and leaf collector 38""	
13-3913-11		Rake tool 100 cm	
13-3914-11	Rake tool 130 cm		
13-3909-11	Rear tool lift, manual		
13-0978-61	Spring hoe		
13-3911-61	Edge cutter 2+4WD		
13-3918-11	Sweeper 85 cm		
13-0977-11	Sweeper 95 cm		
13-1936-62	Dust cover for Sweeper 85 (95 cm wide)		

Perfect mowing. With finesse!

That is Castलगarden in a nutshell. Technological innovations and aesthetic improvements characterize the entire walk-behind lawn mower range. It includes handy electric models as well as high performance petrol engine mowers for demanding work.

Well renowned engine brands such as Honda and Briggs & Stratton, together with the latest range of Castलगarden power units, offer both quality and performance.

Continuous innovation efforts contribute to developing reliable machines that are easy and funny to use. The latest range includes the new 4-in-1 steel galvanized mowers, the shining stainless-steel mowers and the upgraded aluminum range, featuring Dryflex wheels, AVS (Anti Vibration System) and BBC (Blade Brake Clutch) systems.





XSP 55 HSC [290558038/10]

XSP 55 BS [290556028/C11]

XSP 50 BS [290506028/C11]

Engine:	Honda GCV 190 Autochoke	B&S 750 series DOV Ready start	B&S 675 series XRZ Ready start
Deck material:	Galvanized steel	Galvanized steel	Galvanized steel
Cutting width:	53 cm	53 cm	48 cm
Driving:	Self propelled and BBC	Self propelled	Self propelled
RPM control/ dashboard:	Accelerator on handle	Accelerator on handle	Accelerator on handle
Grass catcher:	Hybrid 75 Lt with "full box warn"	Hybrid 75 Lt with "full box warn"	Hybrid 75 with "full box warn"
Wheels (mm):	210/300 ball bearings	210/300 ball bearings	210/300 ball bearings
Height adjustment:	Centralized 6 pos, 22-95 mm	Centralized 6 pos, 22-95 mm	Centralized 6 pos, 22-95 mm
Handlebar:	Ergo pro 25 mm adjustable by camlocks	Ergo pro 25 mm adjustable by camlocks	Ergo pro 25 mm adjustable by camlocks
Gross weight:	56.8 kg	51.7 kg	50.8 kg



XI 53 HS [291592038/10]

XA 53 HS [292148038/C12]

XA 50 HS [295508038/C12]

Engine:	Honda GCV 160 Autochoke	Honda GCV 190 Autochoke	Honda GCV 160 Autochoke
Deck material:	Stainless steel	Aluminum	Aluminum
Cutting width:	51 cm	51 cm	48 cm
Driving:	Self propelled	Self propelled	Self propelled
RPM control/ dashboard:	Accelerator on dashboard	Accelerator on handle	Accelerator on handle
Grass catcher:	Hybrid 70 Lt	Hybrid 70 Lt	Hybrid 70 Lt
Wheels (mm):	170/210 ball bearings	210/210 ball bearings	210/210 ball bearings
Height adjustment:	Centralized 5 pos, 30-75 mm	Centralized 7 pos, 30-80 mm	Centralized 6 pos, 30-80 mm
Handlebar:	Ergo	Ergo pro 25 mm, adjustable	Ergo pro 25 mm, adjustable
Gross weight:	35.2 kg	44.4 kg	41.6 kg



XA 53 BS [292148023/C12]

XA 50 BS [295508023/C12]

XTR 48 HS [296506138/09]

Engine:	B&S 750 series DOV Ready start	B&S 675 series XRZ Ready start	Honda GCV 160 Autochoke
Deck material:	Aluminum	Aluminum	ABS
Cutting width:	51 cm	48 cm	46 cm
Driving:	Self propelled	Self propelled	Self propelled
RPM control/ dashboard:	Accelerator on handle	Accelerator on handle	Accelerator on dashboard
Grass catcher:	Hybrid 70 Lt	Hybrid 70 Lt	Hybrid 70 Lt
Wheels (mm):	210/210 ball bearings	210/210 ball bearings	170/210 ball bearings
Height adjustment:	Centralized 7 pos, 30-80 mm	Centralized 6 pos, 30-80 mm	2 levers 5 pos, 20-70 mm
Handlebar:	Ergo pro 25 mm, adjustable	Ergo pro 25 mm, adjustable	Ergo + soft grip
Gross weight:	44.15 kg	42.3 kg	35.2 kg



XTR 48 BS [296506023/09]

XSM 50 BS [291502023/C11]

XSM 50 B [291501023/C11]

Engine:	B&S 625 series XRZ	B&S 675 series XRZ Ready start	B&S 675 series XRZ Ready start
Deck material:	ABS	Galvanized steel (hammered)	Galvanized steel (hammered)
Cutting width:	46 cm	48 cm	48 cm
Driving:	Self propelled	Self propelled	Push
RPM control/ dashboard:	Accelerator on dashboard	Accelerator on handle	Accelerator on handle
Grass catcher:	Hybrid 70 Lt	-	-
Wheels (mm):	170/210 ball bearings	210/210 ball bearings	210/210 ball bearings
Height adjustment:	2 levers 5 pos, 20-70 mm	3 levers 5 pos, 31-75 mm	4 levers 5 pos, 31-75 mm
Handlebar:	Ergo + soft grip	Ergo	Ergo
Gross weight:	33 kg	34.8kg	32.5 kg



XS 53 HSW [299536038/C11]

XS 53 HS [299532038/C11]

XS 48 HS [299482038/C11]

Engine:	Honda GCV 190 Autochoke	Honda GCV 160 Autochoke	Honda GCV 135
Deck material:	Galvanized steel (hammered)	Galvanized steel (hammered)	Galvanized steel (hammered)
Cutting width:	51 cm	51 cm	46 cm
Driving:	Self propelled	Self propelled	Self propelled
RPM control/ dashboard:	Accelerator on handle	Accelerator on handle	Accelerator on handle
Grass catcher:	Hybrid 70 Lt	Hybrid 70 Lt	Hybrid 70 Lt
Wheels (mm):	200/280 ball bearings	200/200 ball bearings	200/200 ball bearings
Height adjustment:	Centralized 6 pos, 25-90 mm	Centralized 6 pos, 25-75 mm	Centralized 6 pos, 25-75 mm
Handlebar:	Ergo pro 25 mm adjustable by camlocks	Ergo pro 25 mm adjustable by camlocks	Ergo pro 25 mm adjustable by camlocks
Gross weight:	41.9 kg	42.2 kg	38.6 kg



XS 53 BSW4 [299536823/C11]

XS 53 BS [299532023/C11]

XS 48 BS [299482023/C12]

Engine:	B&S 675 series XRZ Ready start	B&S 650 series XRZ Ready start	B&S 575 series EX Ready start
Deck material:	Galvanized steel (hammered)	Galvanized steel (hammered)	Galvanized steel (hammered)
Cutting width:	51 cm	51 cm	46 cm
Driving:	Self propelled	Self propelled	Self propelled
RPM control/ dashboard:	Accelerator on dashboard	Accelerator on dashboard	Accelerator on dashboard
Grass catcher:	Hybrid 70 Lt	Hybrid 70 Lt	Hybrid 70 Lt
Wheels (mm):	200/280 ball bearings	200/200 ball bearings	200/200 ball bearings
Height adjustment:	Centralized 6 pos, 25-90 mm	Centralized 6 pos, 25-75 mm	Centralized 6 pos, 25-75 mm
Handlebar:	Ergo adjustable by camlocks + soft grip	Ergo adjustable by camlocks + soft grip	Ergo adjustable by camlocks + soft grip
Gross weight:	42.8 kg	39.2 kg	34.8 kg



XC 53 BSW4 [295546823/C12]

XC 53 BS [295542023/C12]

XC 48 BSW4 [295496823/C12]

Engine:	B&S 650 series XLS Ready start	B&S 625 series XLS	B&S 500 series E
Deck material:	Steel	Steel	Steel
Cutting width:	51 cm	51 cm	46 cm
Driving:	Self propelled	Self propelled	Self propelled
RPM control/ dashboard:	Accelerator on handle	Accelerator on handle	Fix rpm
Grass catcher:	Plastic 60 Lt	Plastic 60 Lt	Plastic 60 Lt
Wheels (mm):	200/280 ball bearings	200/200 ball bearings	180/240 ball bearings
Height adjustment:	Centralized 5 pos, 27-90 mm	Centralized 5 pos, 27-75 mm	3 levers 5 pos, 27-80 mm
Handlebar:	Ergo adjustable soft grip	Ergo adjustable	Ergo adjustable
Gross weight:	41 kg	38.8 kg	33 kg



XC 48 BW [295495023/C12]

XC 43 B [295441023/C11]

Engine:	B&S 500 series E	B&S 450 series
Deck material:	Steel	Steel
Cutting width:	46 cm	41 cm
Driving:	Push	Push
RPM control/ dashboard:	Fix rpm	Fix rpm
Grass catcher:	Plastic 60 Lt	Plastic 60 Lt
Wheels (mm):	180/240 ball bearings	180/180 ball bearings
Height adjustment:	4 levers 5 pos, 27-80 mm	4 levers 5 pos, 27-80 mm
Handlebar:	Ergo adjustable	Ergo adjustable
Gross weight:	29.8 kg	27.8 kg





XS 48 ESW [299487073/C11]

XS 48 EW [299480663/C11]

XP 41 E [294411663/09]

Engine:	1800W 230V 50Hz Castel cover	1600W 230V 50Hz Castel cover	1600W 230V 50Hz NCL Cover
Deck material:	Galvanized steel (hammered)	Galvanized steel (hammered)	Polypropylene
Cutting width:	46 cm	46 cm	39 cm
Driving:	Self propelled	Push	Push
RPM control/ dashboard:	-	-	-
Grass catcher:	Hybrid 70 Lt	Hybrid 70 Lt	Hybrid 45 Lt
Wheels (mm):	200/280 ball bearings	200/280 ball bearings	165/190 - wide pattern bushes
Height adjustment:	2 levers 6 pos, 25-90 mm	2 levers 6 pos, 25-90 mm	Centralized 5 pos, 21-60 mm
Handlebar:	Ergo with passing switch, adjustable	Ergo with passing switch, adjustable	Ergo telescopic foldable with passing switch
Gross weight:	36 kg	32.5 kg	19.3 kg



XP 36 E [294360663/C12]

XP 39 E [297392663/C11]

XP 35 E [297351663/C11]

Engine:	1300W 230V 50Hz NCL Cover + handle	1300W 230V 50Hz Spark cover	1000W 230V 50Hz Spark cover
Deck material:	Polypropylene	Polypropylene	Polypropylene
Cutting width:	34 cm	37 cm	33 cm
Driving:	Push	Push	Push
RPM control/ dashboard:	-	-	-
Grass catcher:	Plastic 37 Lt	Plastic 35 Lt	Plastic 27 Lt
Wheels (mm):	150/165	130/160	130/160
Height adjustment:	Centralized 5 pos, 25-65 mm	Screw in screw out 3 pos, 25-55 mm	Screw in screw out 3 pos, 25-55 mm
Handlebar:	Ergo with passing switch	Ergo with passing switch	Ergo with passing switch
Gross weight:	15.5kg	14.5 kg	12.6 kg



Perfect results, with Castelgarden feeling

A beautiful garden is so much more than a freshly cut, lush lawn. That is why Castelgarden offers a wide range of power-driven tools and machines that facilitate the different tasks for each season. They are all developed using the same principles as with Castelgarden mowers, to make gardening fun and effective with perfect results.

The product range includes a variety of chain saws, brush cutters and cultivators. You will also find versatile machines for garden recycling, such as blowers, chippers/shredders and scarifiers.



XB 435 HD [281341003/08] **XB 435 H** [294360663/C12] **XB 425 HD** [281241003/08]

Displacement:	35 cc	35 cc	25 cc
Power:	1.0 Kw - 1.4 HP	1.0 Kw - 1.4 HP	0.8 Kw - 1.1 HP
Shaft:	26 mm	26 mm	26 mm
Std cutter:	Tap & Go - 4T Blade	Tap & Go - 4T Blade	Tap & Go - 3T Blade
Handle:	Bike	Loop	Bike
Weight with nylon head:	10.6 Kg	9.7 kg	7.9 kg



XB 425 H [281240003/08] **XB 51 FS** [281722003/09] **XB 51 DS** [281721003/09]

Displacement:	25 cc	471 cc	471 cc
Power:	0.8 Kw - 1.1 HP	2.0 Kw - 2.7 HP	2.0 Kw - 2.7 HP
Shaft:	26 mm	28 mm flexible	28 mm
Std cutter:	Tap & Go - 3T Blade	Tap & Go - 4T Blade	Tap & Go - 4T Blade
Handle:	Loop	Loop	Bike
Weight with nylon head:	7.2 kg	12.0 kg	9.1 kg



XB 51 S [281720003/09] **XB 43 FS** [281622003/09] **XB 43 DS** [281621003/09]

Displacement:	471 cc	42.7 cc	42.7 cc
Power:	2.0 Kw - 2.7 HP	1.4 - 1.9 Hp	1.4 Kw - 1.9 HP
Shaft:	26 mm	28 mm flexible	28 mm
Std cutter:	Tap & Go - 4T Blade	Tap & Go 4T Blade	Tap & Go - 4T Blade
Handle:	Loop	Loop	Bike
Weight with nylon head:	8.4 kg	11.9 kg	9.0 kg



XB 43 S [281620003/09] **XB 35 DS** [281521003/09] **XB 35 S** [281520003/09]

Displacement:	42.7 cc	32.6 cc	32.6 cc
Power:	1.4 Kw - 1.9 HP	1.1 Kw - 1.5 HP	1.1 Kw - 1.5 HP
Shaft:	26 mm	26 mm	26 mm
Std cutter:	Tap & Go - 4T Blade	Tap & Go - 4T Blade	Tap & Go - 4T Blade
Handle:	Loop	Bike	Loop
Weight with nylon head:	8.3 kg	7.9 kg	7.2 kg



XB 29 DS [281421003/09] **XB 29 S** [281420003/09] **XB 34 D** [280821003/10]

Displacement:	25.6 cc	25.6 cc	32.6 cc
Power:	0.9 Kw - 1.2 HP	0.9 Kw - 1.2 HP	0.9 kW - 1.2 Hp
Shaft:	24 mm	24 mm	26 mm
Std cutter:	Tap & Go - 3T Blade	Tap & Go - 3T Blade	Tap & Go - 3T Blade
Handle:	Bike	Loop	Bike
Weight with nylon head:	6.0 kg	5.6 kg	7.5 kg



XB 34 [280820003/10] **XB 26 JD** [280721103/10] **XB 26 J** [280720103/10]

Displacement:	32.6 cc	25.4 cc	25.4 cc
Power:	0.9 kW - 1.2 Hp	0.7 kW - 0.95 Hp	0.7 kW - 0.95 Hp
Shaft:	26 mm	26 mm, split	26 mm, split
Std cutter:	Tap & Go - 3T Blade	Tap & Go - 3T Blade	Tap & Go - 3T Blade
Handle:	Loop	Bike	Loop
Weight with nylon head:	7.3 kg	6.7 kg	6.5 kg



XR 26 J [280710103/10]

XB 10 JEL [291820103/06]

XR 7 EL [291830003/06]

Displacement:	25.4 cc	-	-
Power:	0.7 kW - 0.95 Hp	1000 W	700 W
Shaft:	26 mm, split, curved	25 mm, split	25 mm, curved
Std cutter:	Tap & Go	Tap & Go - 4T Blade	Tap & Go
Handle:	Loop	Loop	Loop
Weight with nylon head:	5.8 kg	6.0 kg	5.0 kg



XC 246 [204518003/11]

XC 240 [204016003/11]

XC 238 [203714003/11]

Displacement:	45.02 cc	40.1 cc	37.2 cc
Power:	1.8 Kw - 2.4 HP	1.5 kW - 2.0 HP	1.2 Kw - 1.6 HP
Bar:	18" - 45 cm Oregon	16" - 40 cm Oregon	14" - 35 cm Oregon
Chain:	.325" .058" (21BPX0-72X)	3/8" .050" (91VG-57X)	3/8" .050" (91VG-53X)
Oil pump:	Automatic adjustable	Automatic adjustable	Automatic adjustable
Primer:	Yes	Yes	Yes
Tensioner:	Side	Side	Side
Weight without bar and chain:	5.3 kg	4.7 kg	4.6 kg



XC 120 Q [292716143/11]

XC 118 [292614003/11]

Displacement:	-	-
Power:	2000 W	1800 W
Bar:	16" - 40 cm Oregon	14" - 35 cm Oregon
Chain:	3/8" .050" (91VG-57E)	3/8" .050" (91PJ-52X)
Oil pump:	Automatic	Automatic
Tensioner:	Tool free	Front
Weight without bar and chain:	4.6 kg	3.7 kg



XHM 75 [251475003/09]

XHM 60 [251460003/09]

XHJ 550 [252900003/10]

Displacement:	25.4 cc	25.4 cc	24.5 cc
Power:	0.8 Kw - 1.1 Hp	0.8 Kw - 1.1 Hp	0.85 Kw - 1.16 Hp
Blade:	Laser cut, single	Laser cut, double	Laser cut, double
Blade length:	75 cm	60 cm	61 cm
Teeth dist.:	28 mm	28 mm	28 mm
Mech. brake:	Yes	Yes	Yes
Anti-vibration:	No	Yes	Yes
Adjustable handle:	No	Yes (180°)	Yes (180°)
Net weight:	5.4 kg	5.7 kg	5.4 kg



Leaf Blower XBL 260 H [255026003/10]

Displacement:	25.4 cc
Power:	0.75 Kw - 1.02 Hp
Air volume:	7.8 cu.m/min
Air speed:	28 m/s
Vacuum kit	included
Net weight:	5.0 kg



Schredder BIO QUIET [17-2663-92]

Power:	2100 W
Capacity:	45 mm branches
Cutting system:	silent type cutter with 8 teeth
Net weight:	26 kg




Scarifier XSE 32 [26-2515-91]

Power:	1500 W
Working width:	32 cm, 12 knives
Working depth:	5 positions
Collector:	Included
Net weight:	22 kg



Grass Shear XGS 60 LI [253036003/09]

Voltage:	3.6 V
Grass blade width:	8 cm
Shrub blade length:	16 cm
Working time:	40 min
Re-charging time:	5 h
Net weight:	540 g



TELLUS 75 RH [217510033/08]



TELLUS 75 RB [217510023/08]



TELLUS 75 RG [217510043/10]

Engine:	Honda GC 160	B&S 800 series	GGP OHV TM60
Displacement:	160 cc	205 cc	182 cc
Gear:	1 speed + reverse	1 speed + reverse	1 speed + reverse
Working width:	75 cm	75 cm	75 cm
Rotors:	6	6	6
Transmission:	Chain in oil bath and belt drive	Chain in oil bath and belt drive	Chain in oil bath and belt drive
Handlebar:	Adjustable in height	Adjustable in height	Adjustable in height
Crop protector discs	Yes	Yes	Yes
Gross weight:	50 kg	50 kg	50 kg



TELLUS 50 RB [216010023/08]



TELLUS 50 G [216000043/08]



TELLUS 40 RG [214010043/09]

Engine:	B&S 625 series	GGP OHV OM55	GGP OHV OM55
Displacement:	190 cc	160 cc	160 cc
Gear:	1 speed + reverse	1 speed	1 speed + reverse
Working width:	50 cm	50 cm	40 cm
Rotors:	4	4	4
Transmission:	Endless screw in oil bath and belt	Endless screw in oil bath and belt	Endless screw in oil bath and belt
Handlebar:	Adjustable in height/side	Adjustable in height/side	Adjustable in height
Crop protector discs	Yes	Yes	Yes
Gross weight:	41 kg	41 kg	29 kg



TELLUS 40 G [214000043/08]



TELLUS 500 RG [215010043/08]



TELLUS 500 G [215000043/08]

Engine:	GGP SV 40	GGP OHV OM55	GGP OHV M 50
Displacement:	150 cc	160 cc	160 cc
Gear:	1 speed	1 speed + reverse	1 speed
Working width:	40 cm	50 cm	50 cm
Rotors:	4	4	4
Transmission:	Endless screw in oil bath and belt	Endless screw in oil bath and belt	Endless screw in oil bath and belt
Handlebar:	Adjustable in height	Adjustable in height/side	Adjustable in height/side
Crop protector discs	Yes	Yes	Yes
Gross weight:	29 kg	41 kg	41 kg



TELLUS 360 G [213600043/08]

Engine:	GGP V 35
Displacement:	150 cc
Gear:	1 speed
Working width:	36 cm
Rotors:	4
Transmission:	Endless screw in oil bath and belt
Handlebar:	Adjustable in height
Crop protector discs	-



TELLUS 103 B [210310023/10]

Engine:	B&S Intek OHV 6.5
Displacement:	205 cc
Gear:	2 speed + reverse
Working width:	60 cm
Transmission:	Gears and chain in oil bath and belt
Handlebar:	Adjustable in height
Drive wheels:	13x5.00-6
Gross weight:	78 kg



TELLUS 95 H [219510033/10]




TELLUS 95 B [219510033/10]



TELLUS 87 B [210870023/09]

Engine:	Honda GCV 160	B&S 675 series	B&S 625 series
Displacement:	160 cc	190 cc	190 cc
Gear:	1 speed + reverse	1 speed + reverse	1 speed
Cutting bar width:	-	-	87 cm, Easy connection system
Transmission:	Worm in oil bath and gears + belt drive	Worm in oil bath and gears + belt drive	Endless screw in oil bath and belts
Handlebar:	Adjustable/reversible	Adjustable/reversible	Adjustable in height
Drive wheels:	13x5.00-6	13x5.00-6	13x5.00-6
Gross weight:	55 kg	55 kg	54 kg

TELLUS 95 ATTACHEMENTS



Double blade 87 cm cuttingbar



Grassland mower 53 cm



Snow blade 85 cm



Front adjustable brush 82 cm with collector



Ridging plow



Rear mount rotavator 50 cm



Quality and safety

This new range of accessories is born from the long experience of Castelgarden in manufacturing and development of garden machinery and is suitable for the most important models of tractors and walk-behinds. Developed together with the machines, these accessories enable you to always obtain high performance in total safety.

Strict tests, careful checks during all the processes, high quality of the raw materials used and the perfect applicability for the machines are the fundamental elements which make Castelgarden Genuine Accessories different from other general after-market products.

Only Castelgarden Genuine Accessories are tested and approved by the home-factory and this ensures total safety during use, especially for potentially dangerous components, such as blades. For these reasons, during all maintenance it is essential that broken or damaged parts only be replaced by Genuine Accessories.

A Castelgarden Genuine Accessory is distinguished by a seal, on each pack which guarantees the authenticity; all the technical and fitting information can be easily found on the label on each pack. Castelgarden Genuine Accessories: Guaranteed quality and safety.

BLADES

A complete range of blades for different cutting procedures, always in total safety. All Castelgarden Genuine blades are tested and only approved if they stand the impact test to guarantee the user's safety even in the event of accidental clashes against stones, rocks or other hidden obstacles. Mulching blades mince grass clippings into small particles that remain in the grass, becoming nutrient for the lawn. The special collecting blade has a fin on each tip to facilitate the down flow of cut grass, through the exhaust chute, up to the grass catcher.



BLADE HOLDER



Together with the blade, the blade holder is one of the main safety components both for tractors and walk behinds. In event of clashes with obstacles, it is fundamental that both the blade and blade holder remain intact, to prevent sharp parts hitting the user or people nearby. For this reason, Castelgarden Genuine blade holders undergo destructive and exhaustive tests to maintain complete safety.

BELTS



All Castelgarden Genuine belts are developed following measurements and tolerances which allow the belt to adapt itself perfectly to the machine. Made to a specific length, different for each machine, Castelgarden Genuine belts guarantee the correct operation of all the parts, avoiding any possibility of damage or breakage that could occur using non-original belts. In particular, the toothed belt, exclusive to some Castelgarden tractors, maintains the blades' synchronization and assures an outstanding collecting capacity.



BLADES

Platform	Code	Q.Ty in Pack	Fits for	Blade Length (cm)	Type Of Blade
	1134-9622-01	1	All XE	62	Mulching
	1134-9623-01	1	All XF	72	Mulching
	1134-9624-01	2	All XJ-XG	46	Collecting
	1134-9625-01	2	All XL-XD (< 2010)	49	Mulching
	1134-9630-01	2	All XDL	53	Mulching
	1134-9626-01	2	All XT-XHT (< 2010)	52	Collecting
	1134-9627-01	2	All XX-XHX (< 2010)	62	Collecting
	1111-9608-01	1	All XP 37	33	Collecting
	1111-9609-01	1	All XP 41	37	Collecting-Mulching
	1111-9610-01	1	All XP 41 (< 2006)	37	Collecting
	1111-9611-01	1	All XS 45 PETROL/ELECTRIC - All XP 45 Petrol/Electric	41	Collecting-Mulching
	1111-9612-01	1	All XS 45 PETROL/ELECTRIC - All XP 45 Petrol/Electric	41	Collecting
	1111-9613-01	1	All XE-XSE 48	44	Collecting
	1111-9614-01	1	All XS 50 - All XP 50	46	Mulching
	1111-9615-01	1	All XP 50	46	Collecting
	1111-9616-01	1	XA-XAP 52	48	Collecting
	1111-9617-01	1	XA-XAP 52 - XSP 52 (2009) - New Garda 504 (< 2008)	48	Collecting-Mulching
	1111-9620-01	1	All XSM-XSIM 52	48	Mulching
	1111-9634-01	1	XSP - XSPW 52	48	Collecting-Mulching
	1111-9635-01	1	XSP 52 AVS Version - XSPW 52 AVS Version	48	Collecting-Mulching
	1111-9636-01	1	XSP 52 BBC Version - XSPW 52 BBC Version	48	Collecting-Mulching
	1111-9618-01	1	All XS 55 - All XA/XAP 55	51	Collecting-Mulching
1111-9619-01	1	All XS 55 - All XA/XAP 55	51	Collecting	
1111-9637-01	1	XSP-XSPW 57	53	Collecting-Mulching	
1111-9638-01	1	XSP 57 AVS Version - XSPW 57 AVS Version	53	Collecting-Mulching	
1111-9639-01	1	XSP 57 BBC Version - XSPW 57 BBC Version	53	Collecting-Mulching	

BLADE HOLDER

Platform	Code	Q.Ty in Pack	Fits for	Specification
	1134-9628-01	1	All XF-XG-XJ-XL-XD-XDL-XT-XHT-XX-XHX	20 mm
	1134-9629-01	1	All XE	Blade Support
	1111-9623-01	1	All XP 37 - All XP 41 - All XP 43	Fan
	1111-9628-01	1	Electric Push/Self Propelled Version: All XS 45 - All XP 45- All XS 50	17,0 mm
	1111-9622-01	1	Petrol Steel Push Version: All XS 45 - XS 50 - XS 55 - XSE 43 - XSE 48 - XAP 52 - XSM 52	22,2 mm
	1111-9624-01	1	All XP 45 - XP 50	22,2 mm
	1111-9625-01	1	Petrol Steel Self Propelled Version: All XS 50 - All XS 55 - XSE 48 - XA-XAP 52 - XSP 52 - XSP 57 - XAP 55 - XSM 52 - XSIM 52	22,2 mm
	1111-9626-01	1	XSM 52 Silent Version	22,2 mm
	1111-9627-01	1	XSDE 49 (DI474)	22,2 mm
	1111-9621-01	1	Petrol Self Propelled Version (2008 >): All XS 50 - All XS 55 - XSE 48 - XA - XAP 52 - XSP 52 - XSP 57 - XAP 55 - XSM 52- XSIM 52	25,0 mm

BELTS

Platform	Code	Q.Ty in Pack	Fits for	Specification	
	1134-9600-01	1	All XE (VD Version 2009 >)	Variator	
	1134-9601-01	1	XD Gear Version (2009 >); XD Hydro Version (2010 >)	Cut	
	1134-9607-01	1	All XL Gear-Hydro Version (2002-2007); All XD Gear- Hydro Version (< 2009)	Cut	
	1134-9617-01	1	All XJ Gear-Hydro Version (1997-2007)	Cut	
	1134-9618-01	1	XG (2007 >) Gear-Hydro Version	Cut	
	1134-9606-01	1	All XF Gear-Hydro Version (< 2010)	Cut	
	1134-9632-01	1	All XDL Gear-Hydro Version (2010 >)	Cut	
	1134-9613-01	1	All XT Gear-Hydro Version (2001 >)	Cut-Manual	
	1134-9614-01	1	All XX Gear-Hydro Version (2001 >)	Cut-Manual	
	1134-9608-01	1	All XJ Hydro Version (2001-2007); All XL Hydro Version (2002-2007)	Transmission	
	1134-9609-01	1	All XJ Gear Version (< 2007) - All XL Gear Version (< 2007)	Transmission	
	1134-9610-01	1	All XG Hydro Version (2007 >) - All XD Hydro Version (2008- 2009) - All XT Hydro Version (2001 >) - All XX Hydro Version (2001 >)	Transmission	
	1134-9612-01	1	All XG Gear Version (2007 >) - All XD Gear Version (2008-2009)	Transmission	
	1134-9603-01	1	All XF Gear Version (2000 >)	Transmission	
	1134-9605-01	1	All XE (< 2009)	Transmission	
	1134-9631-01	1	XD-XDL (2010 >) Hydro Version	Transmission	
	1134-9602-01	1	All XD Gear Version (2009 >) - All XDL Gear Version (2010 >)	Transmission	
	1134-9604-01	1	All XF Hydro Version (2006 >)	Transmission	
	1134-9611-01	1	All XT Gear Version (2001 >) - All XX Gear Version (2001-2005)	Transmission	
	1134-9619-01	1	All XE VD Version (2009 >)	Transmission	
	1134-9620-01	1	XHT-XHX (2009 >) Hydro Version	Transmission	
	1134-9615-01	1	All XT Gear-Hydro Version (2001 >)- All XHT (2009 >)	Cut (Toothed)	
	1134-9616-01	1	All XX Gear-Hydro Version(2001 >)- All XHX (2009 >)	Cut (Toothed)	
		1111-9629-01	1	All XS 48	Transmission
		1111-9600-01	1	All XS 50	Transmission
1111-9601-01		1	NEW GARDA 464-504	Transmission	
1111-9602-01		1	All XS 55 - XSM 52 - XSM 52 SILENT Version - XSIM 52	Transmission	
1111-9603-01		1	All XP 50-XSE 55	Transmission	
1111-9604-01		1	XA-XAP 52 - XA-XAP 55 - XSP 52 (2009) - XSP 52 BBC Version (2009)	Transmission	
1111-9605-01		1	All XA 55	Transmission	
1111-9606-01		1	All XA 55 3 SPEED Version	Transmission	
1111-9607-01		1	TURBO 55-TURBO 55 4 SPEED Version	Transmission	
1111-9630-01		1	All XSP 52 4 SPEED Version	Transmission	
1111-9631-01		1	All XSP 57	Transmission	
1111-9632-01		1	XSP 57 4 SPEED Version	Transmission	
1111-9633-01		1	All XSP 52	Transmission	



A display shelf can be ordered to allow an easy overview of your spare parts.
Code 9401-9570-01 available on stock.

**GGP GROUP
GLOBAL GARDEN PRODUCTS**

Box 1006
SE-573 28 Tranås - SWEDEN
Tel. +46 (0)140-677 00
Fax. +46 (0)140 677 01
castelgarden@ggp-group.com
www.castelgarden.com



Castelgarden has a policy of continuous development and reserves the right to change models and specifications without prior notice.



FOR GREAT MOWMENTS



Via Le Marze, 1 - 31010 ASOLO TV - Italia
tel. 0423 952314 - www.mvmenegon.it
info@mvmenegon.it - info@mvmenegon.com

Your local Castelgarden contact: